



杭州祥和电器有限公司
Hangzhou Xianghe Electric Appliance Co., Ltd



杭州祥和电器有限公司
Hangzhou Xianghe Electric Appliance Co., Ltd

地址: 中国浙江省杭州市建德梅城镇城南工业功能区 311604
Add.: South Industrial Zone, Meicheng Town, Jiande, Hangzhou City, Zhejiang Province, China 311604

邮箱: xh@xianghe-electric.com xianghehz@163.com
E-mail: xh@xianghe-electric.com xianghehz@163.com

电话: +86(571)64188255 64188355 64188055
Tel.: +86(571)64188255 64188355 64188055

传真: +86(571)64185885
Fax.: +86(571)64185885

网址: www.xianghe-electric.com
URL: www.xianghe-electric.com



PRODUCT CATALOGUE

产品手册

COMPANY INTRODUCE

企业介绍

杭州祥和电器有限公司是专业制造排插、延长线、线盘、各国多用转换插座及检修灯。工厂坐落于风景秀丽的梅城古镇，邻近千岛湖，杭新景高速，杭黄高铁横穿而过。

我们致力于为客户打造多样式的新型产品，以具有竞争力的价格和优质服务做依托。我们有专业的团队设计开发，配合严谨的生产管理，创造出优质的产品。我们的产品通过 CE、Rohs 等多项专业检测。产品出口亚洲、欧洲、非洲、美洲的大多数国家。通过我们不断的努力，我们相信通过我们坚持不懈的努力，我们会和您一起创新，共赢。

Hangzhou Xianghe Electric Appliance Co., Ltd locates in meicheng town, near qiandao lake. We are a factory, specializes in developing and producing various extension sockets, power strip, extension cord, extension cable reel, work light etc. We can make oem & odm products for you in competitive prices and give you the best service. We have professional teams to service for you. We have professional production equipment and inspection equipment. Product quality is controlled strictly according to CE,GS, VDE and other approval standards. Through our continuous efforts, we believe that we will innovate and win together with you. Welcome to join us to make better future.



我们的宗旨

OUR MISSION

用心创造，
用心管理，
用心服务。

Create by our heart,
Manage by our heart,
Serve with our heart.



Best Selling Products

Authentication Certificate



IEC Test Report

ISO9001

Multinational Tower Sockets

German / French Product

- 01. Surge Protectors / Extension Sockets
- 02. Power Extension Cords
- 03. Adapters & Plugs
- 04. Extension Cable Reels
- 05. Work lights

American type Product

- 06. Surge Protectors / Power Strips
- 07. Power Extension Cords
- 08. Adapters & Plugs

Chilean type Product

- 09. Surge Protectors / Power Strips

Argentina type Product

- 10. Multiple Sockets / Power Strips


Device Accessory Product

- 11. Plugs & Computer cable adapter

DIRECTORY

01

Multinational Tower Sockets



Product Specification

Work Current: 16A (13A)
 Work Voltage: 250V~
 Max. Wattage: 4000W (3250W)
 USB: 5V, 3.4A Max.

Conformity to standards: Europe standard/ SA standard/ UK standard

Product Feature

1. Fireproof / flame retardant case
2. Strong, durable polycarbonate casing
3. Good quality conducting strip
4. with Button switch
5. Each floor with 4 outlets

02

German / French
Product

XH-GS03AK3U



XH-GS04BK3U



XH-GS05CK3U



XH-GS06AK

Product Specification

Work Current: 16A
 Work Voltage: 250V~
 Max. Wattage: 4000W

Product Feature

1.Fireproof / flame retardant case
 2.Good quality conducting strip
Conformity to standards: CE certificate

Various Options:

1. Number of Outlets: 2 Outlets+USB / 3 Outlets / 3 Outlets+USB / 4 Outlets / 4 Outlets+ USB / 5 Outlets / 5 Outlets + USB / 6 Outlets
2. Switch Type:
 Luminous ON/OFF switch
 Button switch
 Luminous RESET/OFF switch (with overload protection)
3. With Surge Protection or without

Surge Protectors /
Extension Sockets

MODEL:
XH-EU05AK



5-Sockets German type
Surge Protector with USB Ports

Color: White or Black
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 5 x 16A German type outlets
Shell Material: fire-resistant P/P
With Children Protection
With Lighted ON/OFF Switch
With Overload Protection
With Surge Protection 90J
USB Ports: 5V,2.1A Max.
PVC Wire Spec: H05VV-F, 3G1.0mm²
250V~, 10/16A Max. Power: 3500W



MODEL:
XH-EU05BK



5-Sockets German type
Surge Protector with USB Ports

Color: White or Black
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 5 x 16A German type outlets
Shell Material: fire-resistant P/P
With Children Protection
With Lighted ON/OFF Switch
With Surge Protection 90J
USB Ports: 5V,2.1A Max.
PVC Wire Spec: H05VV-F, 3G1.0mm²
250V~, 10/16A Max. Power: 3500W



MODEL:
XH-EUA03~10K



3~10 Ways German type
Extension Sockets with USB Ports

Color: White or Black
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 3~10 x 16A German type outlets
Shell Material: PVC & fire resistant P/P
With Children Protection
With Lighted ON/OFF Switch
USB Ports: 5V,2.1A Max.
PVC Wire Spec: H05VV-F, 3G1.5mm²
250V~, 16A Max. Power: 3500W



MODEL:
XH-EU05K



5-Sockets German type
Surge Protector with USB Ports

Color: White or Black
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 5 x 10A German type outlets
Shell Material: P/P
With Lighted RESET/OFF Switch
With Surge Protection 90J
USB Ports: 5V,2.1A Max.
PVC Wire Spec: H05VV-F, 3G0.75mm²
250V~, 10A Max. Power: 2500W



MODEL:
XH-EU05BK+C




5-Sockets German type
Surge Protector with USB Ports

Color: White or Black
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 5 x 16A German type outlets
Shell Material: fire-resistant P/P
With Children Protection
With Lighted ON/OFF Switch
With Surge Protection 90J
USB Ports: 5V,2.1A Max.(1xType A + 1xType C)
PVC Wire Spec: H05VV-F, 3G1.0mm²
250V~, 10/16A Max. Power: 3500W



MODEL:
XH-GDU05K




5-Sockets German type
Surge Protector with USB Ports

Color: White or Black
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 5 x 16A German type outlets
Shell Material: fire-resistant P/P
With Children Protection
With Lighted ON/OFF Switch
With Surge Indicator And Grounding Power Light
With Surge Protection 450J
USB Ports: 5V,2.1A Max.
PVC Wire Spec: H05VV-F, 3G1.5mm²
250V~, 16A Max. Power: 3500W



MODEL:
XH-EU06K



6-Sockets German type
Surge Protector with USB Ports

Color: White or Black
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 6 x 10A German type outlets
Shell Material: P/P
With Lighted RESET/OFF Switch
With Surge Protection 90J
USB Ports: 5V,2.1A Max.
PVC Wire Spec: H05VV-F, 3G0.75mm²
250V~, 10A Max. Power: 2500W



MODEL:
XH-EB03~06

3~6 Ways German type
Extension Sockets


Color: White or Black
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 3~6 x 16A German type outlets
Shell Material: fire resistant P/P
With Children Protection
PVC Wire Spec: H05VV-F, 3G1.0mm² or 3G1.5mm²
250V~, 16A Max. Power: 3680W



MODEL:
XH-EB03~06K

3~10 Ways German type
Extension Sockets with Switch

Color: White or Black
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 3~6 x 16A German type outlets
Shell Material: fire resistant P/P
With Children Protection
With Lighted ON/OFF Switch
PVC Wire Spec: H05VV-F, 3G1.0mm² or 3G1.5mm²
250V~, 16A Max. Power: 3680W



MODEL:
XH-ER06K

6-Ways German type
Extension Sockets with Switch

Color: White or Black
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 6 x 16A German type outlets
Shell Material: fire resistant P/P
With Children Protection
With Lighted ON/OFF Switch
With Overload Protection 10A or 16A
PVC Wire Spec: H05VV-F, 3G0.75mm² or 3G1.0mm²
250V~, 10A/16A Max. Power: 2500W or 3500W



MODEL:
XH-ED06K

6-Sockets German type
Surge Protector

Color: White or Black
Input Socket: 1 x 10A CEE 7/7 plug
Output Socket: 5 x 10A German type outlets
Shell Material: P/P
With Lighted RESET/OFF Switch
With Surge Protection 90J
PVC Wire Spec: H05VV-F, 3G0.75mm²
250V~, 10A Max. Power: 2500W



MODEL:
XH-EBD06K

6-Sockets German type
Surge Protector

Color: White or Black
Input Socket: 1 x 10A/16A CEE 7/7 plug
Output Socket: 6 x 16A German type outlets
Shell Material: fire resistant P/P
With Children Protection
With Lighted 10A (16A) RESET/OFF Switch
With Surge Protection 90J
PVC Wire Spec: H05VV-F, 3G1.0mm² / 3G1.5mm²
250V~, 10A/16A Max. Power: 2500W/3500W



MODEL:
XH-EH04/06K

4/6 Ways German type
Surge Protector

Color: White / Black / Rose
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 4 / 6 x 16A German type outlets
Shell Material: fire resistant ABS / PC
With Children Protection
With Lighted Button Switch
With Surge Protection 150J
PVC Wire Spec: H05VV-F, 3G1.0mm² or 3G1.5mm²
250V~, 16A Max. Power: 3680W



MODEL:
XH-ED05K

5-Sockets German type
Surge Protector

Color: White or Black
Input Socket: 1 x 10A CEE 7/7 plug
Output Socket: 5 x 10A German type outlets
Shell Material: P/P
With Lighted RESET/OFF Switch
With Surge Protection 90J
PVC Wire Spec: H05VV-F, 3G0.75mm²
250V~, 10A Max. Power: 2500W



MODEL:
XH-ES03~05K

3~5 Ways German type
Extension Sockets with Switch

Color: White or Black
Input Socket: 1 x 10A CEE 7/7 plug
Output Socket: 3~5 x 10A German type outlets
Shell Material: fire resistant P/P
With Lighted RESET/OFF Switch
PVC Wire Spec: H05VV-F, 3G0.75mm²
250V~, 10A Max. Power: 2500W



MODEL:
XH-E03~06

3~6 Ways German type
Extension Sockets

Color: White or Black
Input Socket: 1 x 10A CEE 7/7 plug
Output Socket: 3~6 x 10A German type outlets
Shell Material: fire resistant P/P
With Lighted ON/OFF Switch
PVC Wire Spec: H05VV-F, 3G1.0mm²
250V~, 10A Max. Power: 2500W



MODEL:
XH-E03~06K

3~6 Ways German type
Extension Sockets with Switch

Color: White or Black
Input Socket: 1 x 10A CEE 7/7 plug
Output Socket: 3~6 x 10A German type outlets
Shell Material: fire resistant P/P
With Lighted RESET/OFF Switch
PVC Wire Spec: H05VV-F, 3G0.75mm²
250V~, 10A Max. Power: 2500W



MODEL:
XH-UG03~06

3~6 Ways German type
Extension Sockets

Color: White
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 3~6 x 16A German type outlets
Shell Material: ABS & fire resistant P/P
PVC Wire Spec: H05VV-F, 3G0.75mm², 1.0mm² or 1.5mm²
250V~, 10A/16A Max. Power: 2500~3500W



MODEL:
XH-FB03~06

3~6 Ways French type
Extension Sockets

Color: White or Black
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 3~6 x 16A French type outlets
Shell Material: fire-resistant P/P
With Children Protection
PVC Wire Spec: H05VV-F, 3G1.0mm², 1.5mm²
250V~, 16A Max. Power: 3680W



MODEL:
XH-FB03~06K

3~6 Ways French type
Extension Sockets with Switch

Color: White or Black
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 3~6 x 16A French type outlets
Shell Material: fire-resistant P/P
With Children Protection
With Lighted ON/OFF Switch
PVC Wire Spec: H05VV-F, 3G1.0mm², 1.5mm²
250V~, 16A Max. Power: 3680W



MODEL:
XH-UG03~06K

3~6 Ways German type
Extension Sockets with Switch

Color: White
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 3~6 x 16A German type outlets
Shell Material: ABS & fire resistant P/P
With Lighted RESET/OFF Switch
PVC Wire Spec: H05VV-F, 3G0.75mm², 1.0mm² or 1.5mm²
250V~, 10A/16A Max. Power: 2500~3500W



MODEL:
XH-U02~06

2~6 Ways German type
Extension Sockets without Grounding


Color: White
Input Socket: 1 x 10A 2-pin EU plug
Output Socket: 2~6 x 10A German type outlets without grounding
Shell Material: ABS & fire resistant P/P
PVC Wire Spec: H05VV-F, 3G0.75mm², 1.0mm²
250V~, 6A/10A Max. Power: 1500~2500W



MODEL:
XH-FD05K / XH-FBU05K

5-Sockets French type
Surge Protector / Without USB Ports

Color: White or Black
Input Socket: 1 x CEE 7/7 plug
Output Socket: 5 x French type outlets
Shell Material: fire-resistant P/P
With Children Protection
With Lighted 10A RESET/OFF Switch
With Surge Protection 90J
USB: 5V, 2.1A Max.
PVC Wire Spec: H05VV-F, 3G0.75mm², 1.0mm²
250V~, 10A Max. Power: 2500W



MODEL:
XH-FH04/06A/06/08A/08K

4 / 6 / 8 Ways French type
Surge Protector

Color: White or Black
Input Socket: 1 x CEE 7/7 plug
Output Socket: 4 / 6 / 8 x French type outlets
Shell Material: fire-resistant ABS / PC
With Children Protection
With Lighted Button Switch
With Surge Protection 150J
PVC Wire Spec: H05VV-F, 3G1.0mm², 1.5mm²
250V~, 16A Max. Power: 3680W



02

German / French
ProductPower Extension
Cords

MODEL:

XH-EX01 / XH-EX10

German type

Power Extension Cord

Color: White / Black / Orange

Input Socket: 1 x 10A (16A) CEE 7/7 plug

Output Socket: 1 x 10A (16A) German type outlet

Shell Material: fire-resistant ABS & PVC

With Children Protection

PVC Wire Spec: H05VV-F 3G1.0mm² / 3G1.5mm²

250V~, 10/16A Max. Power: 2500W/3500W



MODEL:

XH-EX05 / XH-EX06

French type

Power Extension Cord

Color: White / Black / Orange

Input Socket: 1 x 16A CEE 7/7 plug

Output Socket: 1 x 16A French type outlet

Shell Material: fire resistant ABS & PVC

With Children Protection

PVC Wire Spec: H05VV-F 3G1.0mm² / 3G1.5mm²

250V~, 10/16A Max. Power: 2500W/3500W



MODEL:

XH-EX02 / XH-EX03

German type

Power Extension Cord without Grounding

Color: White / Black / Orange

Input Socket: 1 x 10A 2-pin EU plug

Output Socket: 1 x 10A German type outlet without grounding

Shell Material: fire resistant ABS & PVC

With Children Protection

PVC Wire Spec: H05VV-F 2G1.0mm² / 2G1.5mm²

250V~, 10A Max. Power: 2500W



03

German / French
Product

Adapters
& Plugs

MODEL:

XH-A1005

German type
Adapter Socket

Color: White

Input Socket: 1 x 16A CEE 7/7 plug

Output Socket: 1 x 16A German type outlet

Shell Material: fire-resistant PP

With Children Protection

With Lighted ON/OFF Switch

250V~, 16A Max. Power: 3680W



04

German / French
ProductExtension
Cable Reels

MODEL:

XH-ER25/50AP
XH-FR25/50AP
XH-HR25/50AP

French / German

Extension Cable Reels (Max. 30/50 Mtrs)

Color: Black & Yellow

Input Socket: 1 x 16A CEE 7/7 plug

Output Socket: 4 x 16A French / German type outlets

Shell Material: PP & fire resistant P/P

With Children Protection

With Thermal Protector

PVC Wire Spec: H05VV-F, 3G1.0mm², 1.5mm²

250V~, 10A/16A Max. Power: 2500~3680W



MODEL:

XH-ECR25/50P/25PP/50PP
XH-FCR25/50P/25PP/50PP
XH-HCR25/50P/25PP/50PP

French / German

Extension Cable Reels (Max. 30/50Mtrs)

Color: Black & Yellow

Input Socket: 1 x 16A CEE 7/7 plug

Output Socket: 4 x 16A French / German type outlets

Shell Material: PP & fire resistant P/P

With Children Protection

With Thermal Protector

PVC Wire Spec: H05VV-F, 3G1.0mm², 1.5mm²

250V~, 10A/16A Max. Power: 2500~3680W



MODEL:

XH-FCR05B
XH-ECR05B
XH-HCR05B

French / German
Extension Cable Reels (Max. 5Mtrs)

Color: Multi-color options
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 4 x 16A French / German type outlets
Shell Material: PP & fire resistant P/P
With Children Protection
With Thermal Protector
PVC Wire Spec: H05VV-F, 3G1.0mm², 1.5mm²
250V~, 10A/16A Max. Power: 2500~3680W



MODEL:

XH-FCR05D
XH-ECR05D
XH-HCR05D

French / German
Extension Cable Reels (Max. 8Mtrs)

Color: Multi-color options
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 4 x 16A French / German type outlets
Shell Material: PP & fire resistant P/P
With Children Protection
With Thermal Protector
PVC Wire Spec: H05VV-F, 3G1.0mm², 1.5mm²
250V~, 10A/16A Max. Power: 2500~3680W



MODEL:

XH-ECR20PP/40PP
XH-FCR20PP/40PP

French / German
IP44 Extension Cable Reels (Max. 20/40Mtrs)

Color: Black & Yellow
Input Socket: 1 x 16A CEE 7/7 plug
Output Socket: 4 x 16A French / German type outlets IP44
Shell Material: PP & fire resistant P/P
With Children Protection
With Thermal Protector
PVC Wire Spec: H05VV-F, 3G1.5mm²
250V~, 16A Max. Power: 3680W



05

German / French
Product

Work
Lights

MODEL:

XH-9101

220-240v Portable Work Light Lamp With Hook
Metal Lampshade With Isolation Ribs
With 360° Rotatable Hook

Color: Orange

Input Socket: 1 x 10A Euro plug

Output Socket: E27 ceramic socket

Shell Material: fire-resistant P/P

With Plastic Handle

With Lighted ON/OFF Switch

PVC Wire Spec: H05VV-F, 3G0.75mm²

220V~240V Max. Power: 100W



06

American type
ProductSurge Protectors/
Power Strips

MODEL:

XH-1308B**8-Outlets US type
Horizontal Power Strip**

Color: Grey
 Input Socket: 1 x US plug
 Output Socket: 8 x US type outlets
 Shell Material: ABS
 With Lighted ON/OFF (RESET/OFF) Switch
 PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
 125V~, 15A Max. Power: 1875W



MODEL:

XH-1308C**8-Outlets US type
Surge Protector**

Color: Grey
 Input Socket: 1 x US plug
 Output Socket: 8 x US type outlets
 Shell Material: ABS
 With Lighted ON/OFF (RESET/OFF) Switch
 PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
 125V~, 15A Max. Power: 1875W



MODEL:

XH-1506A**6-Outlets Universal type
Power Strip**

Color: Grey
 Input Socket: 1 x US plug
 Output Socket: 6 x Universal type outlets
 (Suitable for US plug and 2-pin EU plug)
 Shell Material: ABS
 With Lighted ON/OFF (RESET/OFF) Switch
 PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
 125V~, 15A Max. Power: 1875W



MODEL:

XH-1506B**6-Outlets Universal type
Horizontal Power Strip**

Color: Grey
 Input Socket: 1 x US plug
 Output Socket: 6 x Universal type outlets
 (Suitable for US plug and 2-pin EU plug)
 Shell Material: ABS
 With Lighted ON/OFF (RESET/OFF) Switch
 PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
 125V~, 15A Max. Power: 1875W



MODEL:
XH-1104A



4-Outlets US type
Power Strip with USB Ports

Color: Grey
Input Socket: 1 x US plug
Output Socket: 4 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
USB: 5V, 1.2A Max.
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1104C



4-Outlets US type
Power Strip with USB Ports

Color: Grey
Input Socket: 1 x US plug
Output Socket: 4 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
USB: 5V, 1.2A Max.
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1316S

6-Outlets US type
Surge Protector

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1106C



6-Outlets US type
Power Strip with USB Ports

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
USB: 5V, 1.2A Max. / 5V, 2.4A Max.
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1104CS



4-Outlets US type
Power Strip with USB Ports

Color: Grey
Input Socket: 1 x US plug
Output Socket: 4 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
With Surge Protection 150J
USB: 5V, 1.2A Max.
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1106A



6-Outlets US type
Power Strip with 3 USB Ports

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
USB: 5V, 1.2A Max. (2 x Type A + 1 x Type C)
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1106D




6-Outlets US type
Power Strip with USB Ports

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
USB: 5V, 1.2A Max.
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1106E



6-Outlets US type
Power Strip with USB Ports

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
USB: 5V, 1.2A Max.
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1303A

3-Outlets US type
Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 3 x US type outlets
Shell Material: ABS
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1304A

4-Outlets US type
Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 4 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1305E

5-Outlets US type
Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 5 x US type outlets (1 outlet with large space)
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1306A

6-Outlets US type
Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1304B

4-Outlets US type
Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 4 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1304C

4-Outlets US type
Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 4 x US type horizontal outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1306T

6-Outlets US type
Transparent Power Strip

Color: Multi-color Options
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: transparent ABS
With Lighted ON/OFF (RESET/OFF) Switch
USB: 5V, 1.2A Max.
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1306B

6-Outlets US type
Small Power Strip

Color: Multi-color Options
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1335A

5-Outlets US type
Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 5 x US type outlets(1 outlet with more space)
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1336A

6-Outlets US type
Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 5 x US type outlets(6 outlet with more space)
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1134A

4-Outlets US type
Power Strip with USB Ports

Color: Grey
Input Socket: 1 x US plug
Output Socket: 4 x US type outlets
Shell Material: ABS
With Lighted RESET/OFF Switch
USB: 5V, 2.1A Max.
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1308A

8-Outlets US type
double row Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 8 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1116A

6-Outlets US type
Power Strip with USB Ports

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets(2 outlet with more space)
Shell Material: ABS
With Lighted RESET/OFF Switch
USB: 5V, 2.1A Max.
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1118A

8-Outlets US type
Power Strip with USB Ports

Color: Grey
Input Socket: 1 x US plug
Output Socket: 8 x US type outlets
Shell Material: ABS
With Lighted RESET/OFF Switch
USB: 5V, 2.1A Max.
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1310A

10-Outlets US type
double row Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 10 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1308E

8-Outlets US type
double row Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 8 x US type outlets(2 outlet with more space)
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1306E

4-Outlets US type
Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1306ES

6-Outlets US type
Surge Protector

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
With Surge Protection 150J
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1316D

6-Outlets US type
Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
USB: 5V, 1.2A Max.
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1326A

6-Outlets US type
Horizontal Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1316A

6-Outlets US type
Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1316B

6-Outlets US type
Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1307A

6+1 Outlets US type
Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 7 x US type outlets (1 outlet with large space)
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-1308

4+2 Outlets US type
Power Strip

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets (2 outlets with large space)
Shell Material: ABS
With Lighted ON/OFF (RESET/OFF) Switch
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



07

American type
ProductPower Extension
Cords

MODEL:

XH-EX126

US type

Outdoor Power Extension Cord

Color: Can be customized

Input Socket: 1 x 3-pin US plug

Output Socket: E26 lamp holder

Shell Material: PVC & Metal

PVC Wire Spec: SPT 18AWG 2C / SPT 16AWG 2C

250V~, 16A Max. Power: 3680W



MODEL:

XH-EX22A

US type

Outdoor lock type Power Extension Cord

Color: Can be customized

Input Socket: 1 x 3-pin US plug

Output Socket: 1 x US lock type outlets

Shell Material: PVC

PVC Wire Spec: SJT 16AWG 3C / SJT 14AWG 3C

125V~, 15A Max. Power: 1875W



MODEL:
XH-EX11A

US type
Indoor Power Extension Cord

Color: Can be customized
Input Socket: 1 x 2-pin US plug
Output Socket: 3 x US type outlets
Shell Material: PVC
With Cover Plate
PVC Wire Spec: SPT18AWG 2C/SPT16AWG 2C/SPT14AWG 2C
125V~, 15A Max. Power: 1875W



MODEL:
XH-EX11E

US type
Indoor Power Extension Cord

Color: Can be customized
Input Socket: 1 x 2-pin US plug
Output Socket: 3 x US type outlets
Shell Material: PVC
With Cover Plate
PVC Wire Spec: SPT18AWG 2C/SPT16AWG 2C/SPT14AWG 2C
125V~, 15A Max. Power: 1875W



MODEL:
XH-EX12E

US type
Indoor Power Extension Cord

Color: Can be customized
Input Socket: 1 x 2-pin US plug
Output Socket: 3 x US type outlets
Shell Material: PVC
With Children Protection Shutter
PVC Wire Spec: SPT-2 18AWG 2C, 16AWG 2C, 14AWG 2C
125V~, 15A Max. Power: 1875W



MODEL:
XH-EX31B

US type
Power Extension Cord

Color: Can be customized
Input Socket: 1 x 2-pin US plug
Output Socket: 3 x US/EU type outlets
Shell Material: PVC
With Power Light
PVC Wire Spec: SJT 18AWG 2C, 16AWG 2C, 14AWG 2C
125V~, 15A Max. Power: 1875W



MODEL:
XH-EX21

US type
Power Extension Cord

Color: Can be customized
Input Socket: 1 x 2-pin US plug
Output Socket: 3 x US type outlets
Shell Material: PVC
PVC Wire Spec: SJT18AWG 2C/SJT16AWG 2C/SJT14AWG 2C
125V~, 15A Max. Power: 1875W



MODEL:
XH-EX22

US type
Outdoor Power Extension Cord

Color: Can be customized
Input Socket: 1 x 3-pin US plug
Output Socket: 1 x US type outlets
Shell Material: PVC
With Black Insulation Protection
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-EX31

US type
Outdoor Power Extension Cord

Color: Can be customized
Input Socket: 1 x 3-pin US plug
Output Socket: 3 x US type outlets
Shell Material: ABS
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:
XH-EX31A

US Universal type
Outdoor Power Extension Cord

Color: Can be customized
Input Socket: 1 x 3-pin US plug (2-pin EU plug)
Output Socket: 3 x US universal type outlets
Shell Material: ABS
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:

XH-EX32

US type
Outdoor Power Extension Cord

Color: Can be customized
Input Socket: 1 x 3-pin US plug
Output Socket: 3 x US type outlets
Shell Material: ABS
With Power Light
PVC Wire Spec: SJT18AWG 3C/SJT16AWG3C/
SJT14AWG 3C
125V~, 15A Max. Power: 1875W



MODEL:

XH-EX33A

US type
Outdoor Power Extension Cord

Color: Can be customized
Input Socket: 1 x 2-pin US plug
Output Socket: 3 x US type outlets
Shell Material: PVC
With Power Light
PVC Wire Spec: SJT 18AWG 3C, 16AWG 3C,
14AWG 3C 125V~, 15A Max. Power: 1875W



MODEL:

XH-EX33

US type
Outdoor Power Extension Cord

Color: Can be customized
Input Socket: 1 x 3-pin US plug
Output Socket: 3 x US type outlets
Shell Material: PVC
With Power Light
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/
SJT14AWG 3C
125V~, 15A Max. Power: 1875W




MODEL:

XH-EX33B

US type
Outdoor Power Extension Cord

Color: Can be customized
Input Socket: 1 x 3-pin US plug
Output Socket: 3 x US type outlets
Shell Material: PVC
With Power Light
PVC Wire Spec: SJT 18AWG 3C, 16AWG 3C,
14AWG 3C 125V~, 15A Max. Power: 1875W



08

American type
Product

Adapters
& Plugs

MODEL:

XH-D1001

US type Adapter

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
125V~, 15A Max. Power: 1875W



MODEL:

XH-D1002

US type Adapter

Color: Grey
Input Socket: 1 x US plug
Output Socket: 6 x US type outlets
Shell Material: ABS
125V~, 15A Max. Power: 1875W



MODEL:

XH-D1003

US type Adapter

Color: Grey
Input Socket: 1 x US plug
Output Socket: 3 x US type outlets
Shell Material: ABS
125V~, 15A Max. Power: 1875W



MODEL:

XH-D1004

US type Adapter

Color: Grey
Input Socket: 1 x 2-pin US plug
Output Socket: 3 x 2-pin US type outlets
Shell Material: ABS
125V~, 15A Max. Power: 1875W



09

Chilean type Product

Surge Protectors/ Power Strips

MODEL:

XH-CLDU04K

4-Outlets Chilean type

Surge Protector with USB Ports

Color: White or Black

Input Socket: 1 x 10A Italian plug

Output Socket: 6 x 10A Italian type outlets

Shell Material: fire resistant P/P

With Children Protection

With Lighted RESET/OFF Switch

With Surge Indicator And Grounding Power Light

USB: 5V, 2.4A Max.

PVC Wire Spec: H05VV-F, 3G0.75mm² or 3G1.0mm²
250V~, 10A Max. Power: 2500W

MODEL:

XH-CLU05K

5-Outlets Chilean type

Power Strip with USB Ports

Color: White or Black

Input Socket: 1 x 10A Italian plug

Output Socket: 6 x 10A Italian type outlets

Shell Material: fire resistant P/P

With Children Protection

With Lighted RESET/OFF Switch

USB: 5V, 2.4A Max.

PVC Wire Spec: H05VV-F, 3G0.75mm² or 3G1.0mm²
250V~, 10A Max. Power: 2500W

MODEL:

XH-CLD05AK

5-Outlets Chilean type

Surge Protector

Color: White or Black

Input Socket: 1 x 10A Italian plug

Output Socket: 5 x 10A Italian type outlets
(1 outlet with large space)

Shell Material: fire resistant P/P

With Children Protection

With Lighted RESET/OFF Switch

With Surge Indicator And Grounding Power Light

PVC Wire Spec: H05VV-F, 3G0.75mm² or 3G1.0mm²
250V~, 10A Max. Power: 2500W

MODEL:

XH-CL06AK

6-Outlets Chilean type

Power Strip

Color: White or Black

Input Socket: 1 x 10A Italian plug

Output Socket: 6 x 10A Italian type outlets
(1 outlet with large space)

Shell Material: fire resistant P/P

With Children Protection

With Lighted RESET/OFF Switch

PVC Wire Spec: H05VV-F, 3G0.75mm² or 3G1.0mm²
250V~, 10A Max. Power: 2500W

MODEL:
XH-CL07K

7-Outlets Chilean type
Power Strip

Color: White or Black
Input Socket: 1 x 10A Italian plug
Output Socket: 7 x 10A Italian type outlets
Shell Material: fire resistant P/P
With Children Protection
With Lighted RESET/OFF Switch
PVC Wire Spec: H05VV-F, 3G0.75mm² or 3G1.0mm²
250V~, 10A Max. Power: 2500W



MODEL:
XH-CL06K

6-Outlets Chilean type
Power Strip

Color: White or Black
Input Socket: 1 x 10A Italian plug
Output Socket: 6 x 10A Italian type outlets
(1 outlet with large space)
Shell Material: fire resistant ABS
With Children Protection
With Lighted RESET/OFF Switch
PVC Wire Spec: H05VV-F, 3G0.75mm² or 3G1.0mm²
250V~, 10A Max. Power: 2500W



MODEL:
XH-CLU03K

3-Outlets Chilean type
Power Strip with USB Ports

Color: White or Black
Input Socket: 1 x 10A Italian plug
Output Socket: 3 x 10A Italian type outlets
Shell Material: fire resistant P/P
With Children Protection
With Lighted RESET/OFF Switch
USB: 5V, 2.4A Max.
PVC Wire Spec: H05VV-F, 3G0.75mm² or 3G1.0mm²
250V~, 10A Max. Power: 2500W



MODEL:
XH-CLU03AK

3-Outlets Chilean type
Power Strip with USB Ports

Color: White or Black
Input Socket: 1 x 10A Italian plug
Output Socket: 3 x 10A Italian type outlets
Shell Material: fire resistant P/P
With Children Protection
With Lighted RESET/OFF Switch
USB: 5V, 2.4A Max. (1xType A+ 1xType C)
PVC Wire Spec: H05VV-F, 3G0.75mm² or 3G1.0mm²
250V~, 10A Max. Power: 2500W



MODEL:
XH-CL05K

5-Outlets Chilean type
Power Strip

Color: White or Black
Input Socket: 1 x 10A Italian plug
Output Socket: 5 x 10A Italian type outlets
Shell Material: fire resistant P/P
With Children Protection
With Lighted RESET/OFF Switch
PVC Wire Spec: H05VV-F, 3G0.75mm² or 3G1.0mm²
250V~, 10A Max. Power: 2500W



MODEL:
XH-CL04AK

4-Outlets Chilean type
Power Strip

Color: White or Black
Input Socket: 1 x 10A Italian plug
Output Socket: 4 x 10A Italian type outlets
(1 outlet with large space)
Shell Material: fire resistant P/P
With Children Protection
With Lighted RESET/OFF Switch
PVC Wire Spec: H05VV-F, 3G0.75mm² or 3G1.0mm²
250V~, 10A Max. Power: 2500W



MODEL:
XH-CLU03BK



3-Outlets Chilean type
Power Strip with USB Ports

Color: White or Black
Input Socket: 1 x 10A Italian plug
Output Socket: 3 x 10A Italian type outlets
Shell Material: fire resistant P/P
With Children Protection
With Lighted RESET/OFF Switch
USB: 5V, 2.4A Max.(2xType A+ 1xType C)
PVC Wire Spec: H05VV-F, 3G0.75mm² or 3G1.0mm²
250V~, 10A Max. Power: 2500W



10

Argentina type
ProductMultiple Sockets/
Power Strips

MODEL:

XH-AR05P5-Outlets Argentina type
Multiple Socket with USB Ports

Color: White or Black
 Input Socket: 1 x 10A Argentina plug
 Output Socket: 5 x 10A Argentina type outlets
 Shell Material: fire resistant P/P
 With Overload Protection
 PVC Wire Spec: H05VV-F, 3G0.75mm²
 250V~, 10A Max. Power: 2500W



MODEL:

XH-AR08K8-Outlets Argentina type
Multiple Socket

Color: White or Black
 Input Socket: 1 x 10A Argentina plug
 Output Socket: 8 x 10A Argentina type outlets
 Shell Material: fire resistant P/P
 With Lighted RESET/OFF Switch
 PVC Wire Spec: H05VV-F, 3G0.75mm²
 250V~, 10A Max. Power: 2500W



MODEL:

XH-ARU05K5-Outlets Argentina type
Multiple Socket with USB Ports

Color: White or Black
 Input Socket: 1 x 10A Argentina plug
 Output Socket: 5 x 10A Argentina type outlets
 Shell Material: fire resistant P/P
 With Lighted RESET/OFF Switch
 USB: 5V, 2.4A Max.
 PVC Wire Spec: H05VV-F, 3G0.75mm²
 250V~, 10A Max. Power: 2500W



USB Port: 5V 2.4A max



MODEL:

XH-ARU08K8-Outlets Argentina type
Multiple Socket with USB Ports

Color: White or Black
 Input Socket: 1 x 10A Argentina plug
 Output Socket: 8 x 10A Argentina type outlets
 Shell Material: fire resistant P/P
 With Lighted RESET/OFF Switch
 USB: 5V, 2.4A Max.
 PVC Wire Spec: H05VV-F, 3G0.75mm²
 250V~, 10A Max. Power: 2500W



USB Port: 5V 2.4A max



11

Device Accessory Product

Plugs & Computer cable adapter

